








© 2005 The Association for the Study of Animal Behaviour. Published by Elsevier Ltd. All rights reserved.










RESULTS

Avoidance of Close Social Inbreeding



1. $\frac{1}{2} + \frac{1}{3} = \frac{3}{6} + \frac{2}{6} = \frac{5}{6}$

Melospiza melodia

Acrocephalus arundinaceus

Parus major

References

Bateson, P. P. G. 1978. Sexual imprinting and optimal outbreeding. Nature, 273, 659-660.

Acknowledgments

- Grant, B. R. & Grant, P. R. 1996. Cultural inheritance of song and its role in the evolution of Darwin's finches. *Evolution*, 50, 2471–2487.
- Greenwood, P. J. 1980. Mating systems, philopatry and dispersal in birds and mammals. *Animal Behaviour*, 28, 1140–1162.
- Greenwood, P. J. & Harvey, P. H. 1982. The natal and breeding dispersal of birds. *Annual Review of Ecology and Systematics*, 13, 1–21.
- Greenwood, P. J., Harvey, P. H. & Perrins, C. M. 1978. Inbreeding and dispersal in the great tit. *Nature*, 271, 52–54.
- Haig, D. 1999. Asymmetric relations: internal conflicts and the horror of incest. *Evolution and Human Behavior*, 20, 83–98.
- Hasselquist, D., Bensch, S. & von Schantz, T. 1996. Correlation between male song repertoire, extra-pair paternity and offspring survival in the great reed warbler. *Nature*, 381, 229–232.
- Hauber, M. E. & Sherman, P. W. 2001. Self-referent phenotype matching: theoretical considerations and empirical evidence. *Trends in Neuroscience*, 24, 609–616.
- Kahn, N. W., St John, J. & Quinn, T. W. 1998. Chromosome-specific intron size differences in the avian CHD gene provide an efficient method of sex identification in birds. *Auk*, 115, 1074–1078.
- Keller, L. F. & Arcese, P. 1998. No evidence for inbreeding avoidance in a natural population of song sparrows (*Melospiza melodia*). *American Naturalist*, 152, 380–392.
- Keller, L. F., Arcese, P., Smith, J. N. M., Hochachka, W. M. & Stearns, S. C. 1994. Selection against inbred song sparrows during a natural-population bottleneck. *Nature*, 372, 356–357.
- Keller, L. F., Grant, P. R., Grant, B. R. & Petren, K. 2002. Environmental conditions affect the magnitude of inbreeding depression in survival of Darwin's finches. *Evolution*, 56, 1229–1239.
- Kempnaers, B., Verheyen, G. R., van den Broek, M., Burkey, T., van Vroekoven, C. & Dhondt, A. A. 1992. Extra-pair paternity results from female preference for high-quality males in the blue tit. *Nature*, 357, 494–496.
- Komdeur, J. & Hatchwell, B. J. 1999. Kin recognition: function and mechanism in avian societies. *Trends in Ecology and Evolution*, 14, 237–241.
- Komdeur, J., Richardson, D. S. & Burke, T. 2004. Experimental evidence that kin discrimination in the Seychelles warbler is based on association and not on genetic relatedness. *Proceedings of the Royal Society of London, Series B*, 271, 963–969.
- Kruuk, L. E. B., Sheldon, B. C. & Merila, J. 2002. Severe inbreeding depression in collared flycatchers (*Ficedula albicollis*). *Proceedings of the Royal Society of London, Series B*, 269, 1581–1589.
- Landry, C., Garant, D., Duchesne, P. & Bernatchez, L. 2001.